


IN THE CLAIMS

The status of each claim is listed below.

Claims 1-81: Canceled.

82. (Currently Amended) A compound represented by formula (I):



wherein



X is hydrogen, halogen, trifluoromethyl, lower alkyl, unsubstituted or substituted phenyl, lower alkyl-thio, phenyl-lower alkyl-thio, lower alkyl-sulfonyl, or phenyl-lower alkyl-sulfonyl;

Y is hydrogen, hydroxyl, mercapto, lower alkoxy, lower alkyl-thio, halogen, lower alkyl, unsubstituted or substituted mononuclear aryl, or -N(R²)₂;

R¹ is hydrogen or lower alkyl;


each R² is, independently, -R⁷, -(CH₂)_m-OR⁸, -(CH₂)_m-NR⁷R¹⁰, -(CH₂)_n(CHOR⁸)(CHOR⁸)_n-CH₂OR⁸, -(CH₂CH₂O)_m-R⁸, -(CH₂CH₂O)_m-CH₂CH₂NR⁷R¹⁰, -(CH₂)_n-C(=O)NR⁷R¹⁰, -(CH₂)_n-Z_g-R⁷, -(CH₂)_m-NR¹⁰-CH₂(CHOR⁸)(CHOR⁸)_n-CH₂OR⁸, -(CH₂)_n-CO₂R⁷, or

R³ and R⁴ are each, independently, hydrogen, a group represented by formula (A), lower alkyl, hydroxy lower alkyl, phenyl, phenyl-lower alkyl, (halophenyl)-lower alkyl, lower-(alkylphenylalkyl), lower alkoxyphenyl)-lower alkyl, naphthyl-lower alkyl, or pyridyl-lower alkyl, with the proviso that at least one of R³ and R⁴ is a group represented by formula (A):



wherein

each R^{L} is, independently, $-\text{R}^7$, $-(\text{CH}_2)_n\text{OR}^8$, $-\text{O}-(\text{CH}_2)_m\text{OR}^8$,
 $-(\text{CH}_2)_n\text{NR}^7\text{R}^{10}$, $-\text{O}-(\text{CH}_2)_m\text{NR}^7\text{R}^{10}$, $-(\text{CH}_2)_n(\text{CHOR}^8)(\text{CHOR}^8)_n\text{CH}_2\text{OR}^8$,
 $-\text{O}-(\text{CH}_2)_m(\text{CHOR}^8)(\text{CHOR}^8)_n\text{CH}_2\text{OR}^8$, $-(\text{CH}_2\text{CH}_2\text{O})_m\text{R}^8$,
 $-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m\text{R}^8$, $-(\text{CH}_2\text{CH}_2\text{O})_m\text{CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$,
 $-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m\text{CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$, $-(\text{CH}_2)_n\text{C}(=\text{O})\text{NR}^7\text{R}^{10}$,
 $-\text{O}-(\text{CH}_2)_m\text{C}(=\text{O})\text{NR}^7\text{R}^{10}$, $-(\text{CH}_2)_n(\text{Z})_g\text{R}^7$, $-\text{O}-(\text{CH}_2)_m(\text{Z})_g\text{R}^7$,
 $-(\text{CH}_2)_n\text{NR}^{10}\text{CH}_2(\text{CHOR}^8)(\text{CHOR}^8)_n\text{CH}_2\text{OR}^8$,
 $-\text{O}-(\text{CH}_2)_m\text{NR}^{10}\text{CH}_2(\text{CHOR}^8)(\text{CHOR}^8)_n\text{CH}_2\text{OR}^8$,
 $-(\text{CH}_2)_n\text{CO}_2\text{R}^7$, $-\text{O}-(\text{CH}_2)_m\text{CO}_2\text{R}^7$, $-\text{OSO}_3\text{H}$, $-\text{O-glucuronide}$, $-\text{O-glucose}$, or



each x is, independently, O , NR^7 , $\text{C}=\text{O}$, CHOH , $\text{C}=\text{N-R}^6$, or represents
a single bond;

each o is, independently, an integer from 0 to 10;

each p is, independently, an integer from 0 to 10;

with the proviso that (a) the sum of o and p in each contiguous chain is

from 1 to 10 when x is O, NR^7 , $\text{C}=\text{O}$, or $\text{C}=\text{N}-\text{R}^6$ or (b) that the sum of o and p

in each contiguous chain is from 4 to 10 when x represents a single bond;

each R^6 is, independently, $-\text{R}^7$, $-\text{OH}$, $-\text{OR}^{11}$, $-\text{N}(\text{R}^7)_2$, $-(\text{CH}_2)_m-\text{OR}^8$,

$-\text{O}-(\text{CH}_2)_m-\text{OR}^8$, $-(\text{CH}_2)_n-\text{NR}^7\text{R}^{10}$, $-\text{O}-(\text{CH}_2)_m-\text{NR}^7\text{R}^{10}$,

$-(\text{CH}_2)_n(\text{CHOR}^8)(\text{CHOR}^8)_n-\text{CH}_2\text{OR}^8$, $-\text{O}-(\text{CH}_2)_m(\text{CHOR}^8)(\text{CHOR}^8)_n-\text{CH}_2\text{OR}^8$,

$-(\text{CH}_2\text{CH}_2\text{O})_m-\text{R}^8$, $-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m-\text{R}^8$, $-(\text{CH}_2\text{CH}_2\text{O})_m-\text{CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$,


$-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m-\text{CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$, $-(\text{CH}_2)_n-\text{C}(=\text{O})\text{NR}^7\text{R}^{10}$,

$-\text{O}-(\text{CH}_2)_m-\text{C}(=\text{O})\text{NR}^7\text{R}^{10}$, $-(\text{CH}_2)_n-(\text{Z})_g-\text{R}^7$, $-\text{O}-(\text{CH}_2)_m-(\text{Z})_g-\text{R}^7$,

$-(\text{CH}_2)_n-\text{NR}^{10}-\text{CH}_2(\text{CHOR}^8)(\text{CHOR}^8)_n-\text{CH}_2\text{OR}^8$,

$-\text{O}-(\text{CH}_2)_m-\text{NR}^{10}-\text{CH}_2(\text{CHOR}^8)(\text{CHOR}^8)_n-\text{CH}_2\text{OR}^8$,


$-(\text{CH}_2)_n-\text{CO}_2\text{R}^7$, $-\text{O}-(\text{CH}_2)_m-\text{CO}_2\text{R}^7$, $-\text{OSO}_3\text{H}$, $-\text{O-glucuronide}$, $-\text{O-glucose}$,



wherein when two R^6 are $-\text{OR}^{11}$ and are located adjacent to each other on a phenyl ring, the alkyl moieties of the two R^6 may be bonded together to form a methylenedioxy group;

each R^7 is, independently, hydrogen or lower alkyl;

each R^8 is, independently, hydrogen, lower alkyl, $-\text{C}(=\text{O})-\text{R}^{11}$, glucuronide, 2-tetrahydropyranyl, or



each R^9 is, independently, $-\text{CO}_2R^7$, $-\text{CON}(R^7)_2$, $-\text{SO}_2\text{CH}_3$, or $-\text{C}(=\text{O})R^7$;

each R^{10} is, independently, $-\text{H}$, $-\text{SO}_2\text{CH}_3$, $-\text{CO}_2R^7$, $-\text{C}(=\text{O})\text{NR}^7R^9$,

$-\text{C}(=\text{O})R^7$, or $-\text{CH}_2-(\text{CHOH})_n-\text{CH}_2\text{OH}$;

each Z is, independently, CHOH , $\text{C}(=\text{O})$, CHNR^7R^{10} , $\text{C}=\text{NR}^{10}$, or NR^{10} ;

each R^{11} is, independently, lower alkyl;

each g is, independently, an integer from 1 to 6;

each m is, independently, an integer from 1 to 7;

each n is, independently, an integer from 0 to 7;

each Q is, independently, $\text{C}-R^5$, $\text{C}-R^6$, or a nitrogen atom, wherein two Q in a ring are nitrogen atoms;

or a pharmaceutically acceptable salt thereof, and

inclusive of all enantiomers, diastereomers, and racemic mixtures thereof.

83. (Previously Presented) The compound of Claim 82, wherein Y is $-\text{NH}_2$.

84. (Previously Presented) The compound of Claim 83, wherein R^2 is hydrogen.

85. (Previously Presented) The compound of Claim 84, wherein R^1 is hydrogen.

86. (Previously Presented) The compound of Claim 85, wherein X is chlorine.

87. (Previously Presented) The compound of Claim 86, wherein R^3 is hydrogen.

88. (Previously Presented) The compound of Claim 87, wherein each R^L is hydrogen.

89. (Previously Presented) The compound of Claim 88, wherein o is 4.

90. (Previously Presented) The compound of Claim 89, wherein p is 0.

91. (Previously Presented) The compound of Claim 90, wherein x represents a single bond.

92. (Previously Presented) The compound of Claim 91, wherein each R^6 is hydrogen.

93. (Previously Presented) The compound of Claim 82, wherein

X is halogen;

Y is $-N(R^7)_2$;

R^1 is hydrogen or C_1 - C_3 alkyl; and

R^2 is $-R^7$, $-(CH_2)_m-OR^7$, or $-(CH_2)_n-CO_2R^7$;

R^3 is a group represented by formula (A); and

R^4 is hydrogen, a group represented by formula (A), or lower alkyl.

94. (Previously Presented) The compound of Claim 93, wherein

X is chloro or bromo;

Y is $-N(R^7)_2$;

R^2 is hydrogen or C_1-C_3 alkyl;

at most three R^6 are other than hydrogen as defined above; and

at most three R^L are other than hydrogen as defined above.

95. (Previously Presented) The compound of Claim 94, wherein Y is $-NH_2$.

96. (Previously Presented) The compound of Claim 95, wherein

R^4 is hydrogen;

at most one R^L is other than hydrogen as defined above; and

at most two R^6 are other than hydrogen as defined above.

97. (Previously Presented) The compound of Claim 96, wherein x is O, NR^7 , $C=O$, $CHOH$, or $C=N-R^6$.

98. (Previously Presented) The compound of Claim 97, wherein x represents a single bond.

99. (Previously Presented) The compound of Claim 82, wherein x is O, NR^7 , $C=O$, $CHOH$, or $C=N-R^6$.

100. (Previously Presented) The compound of Claim 82, wherein x represents a single bond.

101. (Previously Presented) The compound of Claim 82, wherein each R^6 is hydrogen.

102. (Previously Presented) The compound of Claim 82, wherein at most two R^6 are other than hydrogen as defined in Claim 82.

103. (Previously Presented) The compound of Claim 82, wherein one R^6 is other than hydrogen as defined in Claim 82.

104. (Previously Presented) The compound of Claim 82, wherein one R^6 is -OH.

105. (Previously Presented) The compound of Claim 82, wherein each R^L is hydrogen.

106. (Previously Presented) The compound of Claim 82, wherein at most two R^L are other than hydrogen as defined in Claim 82.

107. (Previously Presented) The compound of Claim 82, wherein one R^L is other than hydrogen as defined in Claim 82.

108. (Previously Presented) The compound of Claim 82, wherein x represents a single bond and the sum of o and p is 4 to 6.

109. (Previously Presented) The compound of Claim 82, which is in the form of a pharmaceutically acceptable salt.

110. (Previously Presented) The compound of Claim 82, which is in the form of a hydrochloride salt.

111. (Previously Presented) The compound of Claim 82, which is in the form of a mesylate salt.

112. (Previously Presented) A pharmaceutical composition, comprising the compound of Claim 1 and a pharmaceutically acceptable carrier.

113. (Currently Amended) A composition, comprising:
the compound of Claim 82; and
a P2Y2 receptor agonist ~~inhibitor~~.

114. (Previously Presented) A composition, comprising:
the compound of Claim 82; and
a bronchodilator.

115. (Previously Presented) A method of blocking sodium channels, comprising contacting sodium channels with an effective amount of the compound of Claim 82.